

0703US

1/2" Coupling with 3/4" NH
thread (US), 1/2", 1/1"(Q)



This coupling connects a standard US 0.75" hose to a Vikan quick-disconnect handle or tool.

Technical Data

Item Number	0703US
Couplings Size	1/1 "
Material	Chromium-plated brass Synthetic rubber Galvanized steel (S235)
Complies with FDA Regulation CFR 21 ¹	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	1000 Pcs.
Quantity Per Layer (Pallet)	0 Pcs.
Box Length/Depth	0 "
Box Width	0 "
Box Height	0 "
Product diameter	1.1 "
Product Length/Depth	2 "
Product Width	1.1 "
Product Height	1.1 "
Net Weight	0.2646 lbs
Cardboard Packaging (Recycling symbol "20" PAP)	0.03 lbs
Total Tare Weight	0.03 lbs
Gross Weight	0.2903 lbs
Cubic Feet	0.0015 ft ³
Max. cleaning temperature (Dishwasher)	176 °F
Max usage temperature (non food contact)	158 °F
Min. usage temperature	-22 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Max. bars pressure	25 Bar
GTIN-13 Number	5705022007192
GTIN-14 Number (Box quantity)	15705028007209
Customs Tariff Number	74122000
Country of Origin ISO Code	DK
Country of Origin	Denmark

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.