

29735



# Aluminum Telescopic Handle w/Hose Nozzle, waterfed, 63.6 - 109.4", Ø1.3, White



Ergonomically designed to improve the user's working position, this water-fed telescopic handle with a hose nozzle and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

# Technical Data

<b>Item Number</b>	29735
<b>Connection</b>	Euro Threaded
<b>Material</b>	Anodised Aluminium Polypropylene Chromium-plated brass
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	No
<b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>Complies with FDA Regulation CFR 21<sup>1</sup></b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	No
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes **
<b>Complies with California Proposition 65</b>	No
<b>SCIP number</b>	e49c50b5-7653-429c-b8f3-803d37b5fetc
<b>Complies with Halal and Kosher</b>	Yes
<b>PFAS intentionally added</b>	No
<b>Box Quantity</b>	5 Pcs.
<b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>	200 Pcs.
<b>Quantity Per Layer (Pallet)</b>	25 Pcs.
<b>Box Length/Depth</b>	69.1 "
<b>Box Width</b>	6.7 "
<b>Box Height</b>	3 "
<b>Product diameter</b>	1.3 "
<b>Product Length/Depth</b>	63.6 "
<b>Product Width</b>	1.3 "
<b>Product Height</b>	1.3 "
<b>Max. Length</b>	109.4 "
<b>Net Weight</b>	2.2266 lbs
<b>Cardboard Packaging (Recycling symbol "20" PAP)</b>	0.15 lbs
<b>Total Tare Weight</b>	0.15 lbs
<b>Gross Weight</b>	2.381 lbs
<b>Cubic Feet</b>	0.0584 ft <sup>3</sup>
<b>Recommended sterilisation temperature (Autoclave)</b>	249.8 °F
<b>Max usage temperature (food contact)</b>	176 °F
<b>Max usage temperature (non food contact)</b>	176 °F
<b>Min. usage temperature</b>	-4 °F
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	8 pH

<b>Max. bars pressure</b>	6 Bar
<b>GTIN-13 Number</b>	5705020029738
<b>GTIN-14 Number (Box quantity)</b>	15705020029735
<b>Customs Tariff Number</b>	76169990
<b>UNSPSC Code</b>	47131609
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 32 °Fahrenheit.